ORCO
BLOCK &
HARDSCAPE
Family Owned Since 1946

P

PORCELAIN PAVING




THE COMPLETE COLLECTION


PORCELAIN

ORCO BLOCK & HARDSCAPE

1946







The beginning... young Pete Muth at the hand-operation.

Family History

Now in our 78th year, our family business continues to grow . . . and we couldn't have done it without you, our customers. Thank you for the opportunities you have provided us. Together, we have come a long way. Today, we have plants located throughout Southern California – providing highest quality products and outstanding service. Our team is committed to always remembering that the "Customer is King."

We are listening to you and continually bringing to market new and exciting products that set us apart. ORCO's evolving outdoor 2 cm thick porcelain paving now includes more 24x24s, multi-piece project packs, as well as larger designer products straight from Italy. Our porcelain is manufactured by 2 of the most influential manufacturers in the world — Atlas Concorde and Del Conca. And our pedestals — for use in commercial decks and rooftops — come from another recognized leader . . . Bison. Whether for residential or commercial applications, we are confident we have the right product for your consideration.

I encourage you to explore ORCO's Porcelain Paving and see the difference.

Cordially,

Rick Muth

CHAIRMAN

75+ YEARS THANK YOU

ORCO BLOCK & HARDSCAPE
Family Owned Since 1946

Contents

24x24	05
24x36 BOUTIQUE	11
LAVAREDO PROJECT PACK	12
PLANKS	13
32x32 CLIMB	17
24x36 QUARTZ	19
BISON PEDESTAL SYSTEMS	20
SPEC INFORMATION	21



WHY PORCELAIN





+ IMPERVIOUS SURFACE – SUPERIOR STAIN AND SCRATCH RESISTANCE
+ FADE RESISTANT
+ NO MOLD OR MOSS
+ FAST INSTALLATION ON SAND, CONCRETE, AND RAISED PEDESTALS
+ EASY TO CLEAN
+ THROUGH BODY PORCELAIN – CAPABLE OF WITHSTANDING HEAVY LOADS



PORCELAIN



24x24

THICKNESS - 2 CM | MODERATE VARIATION | SUBTLE GLACIAL VEINING
ACTUAL SIZE - 23.62 x 23.62 IN | RECTIFIED EDGE
+ PATIOS + PATHWAYS + ROOF DECKS + COURTYARDS + POOL DECKS

Approx Size (in)


BOOST WHITE

24x24



MARK CHROME



AXI WHITE

BIANCO HLA210

BRAVE GYPSUM

BOOST WHITE

BEGE HSU201

BOOST STONE WHITE
(SPECIAL ORDER)

BLOCK BIANCO

LUSERNA HLA201

BOOST PRO CREAM

BOOST PRO CLAY
(SPECIAL ORDER)

TRUST GOLD

AXI BROWN

FRASSINO HDV205

CENERE HTE205
(NON-RECTIFIED)

BRAVE PEARL*

MARK CHROME*

GRAY LIMESTONE
HLA205

BRAVE GRAY

BOOST GREY

BOOST STONE GREY
(SPECIAL ORDER)

SEASTONE GRAY

BLUESTONE*

AXI GRAY

BOOST STONE SMOKE
(SPECIAL ORDER)

TRUST SILVER

BOOST STONE TARMAC
(SPECIAL ORDER)

** Also available in 24x48.*

For best results, ORCO strongly recommends following procedures specified in ORCO'S PORCELAIN INSTALLATION GUIDE. All specifications are approximate. Verify color & texture with actual samples.

24x24



BRAVE GYPSUM





BLOCK BIANCO & TRUST SILVER




BLOCK BIANCO

24x24

24x36


BOUTIQUE

THICKNESS - 2 CM | MODERATE VARIATION | MINERAL VEINING
ACTUAL SIZE - 23.62 x 35.43 IN | NON-RECTIFIED EDGE
+ PATIOS + PATHWAYS + ROOF DECKS + COURTYARDS + POOL DECKS



Approx. Size (in)

Standard Color




ERICA HBO205



THICKNESS - 2 CM | SUBTLE VARIATION | MINERAL INCLUSIONS
ACTUAL SIZES - 23.62 x 35.43 IN, 23.62 x 23.62 IN, 11.81 x 23.62 IN, 11.81 x 11.81 IN | RECTIFIED EDGE
SOLD AS A 4-PIECE SET | + PATIOS + PATHWAYS + ROOF DECKS + COURTYARDS + POOL DECKS

Standard Color


BIANCO HLA210



Approx. Sizes (in)

LAVAREDO PROJECT PACK

ALL 4 SIZES TOGETHER



For best results, ORCO strongly recommends following procedures specified in ORCO'S PORCELAIN INSTALLATION GUIDE. All specifications are approximate. Verify color & texture with actual samples.

PLANKS

THICKNESS - 2 CM | NATURALLY INSPIRED VARIATION | WOOD GRAIN TEXTURE
ACTUAL SIZES - 23.62 X 47.24 IN, 15.75 X 47.24 IN, 11.81 X 47.24 IN | RECTIFIED EDGE
+ PATIOS + PATHWAYS + ROOF DECKS + COURTYARDS + POOL DECKS

24x48	16x48	12x48

Approx. Size (in)



ROVERE VENICE

Standard Colors



CEMBRO
HNB205
(16x48)



PINO BLANCO
HNB210
(16x48)



ROVERE VENICE
(12x48)



EXENCE ALMOND
(12x48)



ARGENTO HMN205
(16x48)



NOCE HMN209
(16x48)



NEUTRO HDL205
(16x48)



BRIGHT OAK
(12x48)
(SPECIAL ORDER)



BRIGHT OAK DECK
(24x48)
(SPECIAL ORDER)



ICON OAK
(12x48)
(SPECIAL ORDER)



ICON OAK DECK
(24x48)
(SPECIAL ORDER)






BRIGHT OAK DECK (SPECIAL ORDER)

For best results, ORCO strongly recommends following procedures specified in ORCO'S PORCELAIN INSTALLATION GUIDE. All specifications are approximate. Verify color & texture with actual samples.

PLANKS



ICON OAK & ICON OAK DECK (SPECIAL ORDER)





EXENCE ALMOND

32x32


CLIMB

32x32

Approx. Size (in)

THICKNESS - 2 CM | MODERATE VARIATION | NATURAL STONE VEINING
ACTUAL SIZE - 31.50 x 31.50 IN | NON-RECTIFIED EDGE
+ PATIOS + PATHWAYS + ROOF DECKS + COURTYARDS + POOL DECKS

Standard Color



ALTA HCL205








32x32 CLIMB

For best results, ORCO strongly recommends following procedures specified in ORCO'S PORCELAIN INSTALLATION GUIDE. All specifications are approximate. Verify color & texture with actual samples.

24x36

QUARTZ

THICKNESS - 2 CM | MODERATE VARIATION | ANGULAR RIFT LINES CREATE MOVEMENT
ACTUAL SIZE - 23.62 x 35.43 IN | NON-RECTIFIED EDGE
+ PATIOS + PATHWAYS + ROOF DECKS + COURTYARDS + POOL DECKS



Approx. Size (in)

Standard Color




MICA HQZ205



BISON PEDESTAL SYSTEMS







Slope Base Compensation

¼" TO 24" HEIGHT | 1,250 LB (FoS:3) WEIGHT BEARING CAPACITY | BUILT-IN BASE LEVELERS
+ PATIOS + PATHWAYS + ROOF DECKS + COURTYARDS + POOL DECKS

Porcelain on pedestals require safety backing.
To ensure proper pedestal installation, always follow procedures detailed in Bison Pedestal Systems' Installation Guide.

SPEC INFORMATION

SOLAR REFLECTIVE INDEX

COLOR	SRI VALUE	SOLAR REFLECTANCE
BOOST STONE TARMAC	19	20.0%
AXI GREY	29	28.0%
BOOST STONE SMOKE	29	28.0%
AXI BROWN	30	29.0%
NOCE HMN209	33.3	29.9%
SEASTONE GRAY	34	32.0%
BLUESTONE	34	32.0%
ROVERE VENICE	35	33.0%
BRAVE GREY	36	34.0%
BOOST STONE GREY	38	35.0%
BOOST GREY	40	37.0%
NEUTRO HDL205	41	37.0%

COLOR	SRI VALUE	SOLAR REFLECTANCE
TRUST SILVER	41	38.0%
ERICA HBO205	43	38.4%
BOOST PRO CLAY	43	39.0%
BRAVE PEARL	43	39.0%
ALTA HCL205	44	39.6%
FRASSINO HDV205	46	40.0%
MICA HQZ205	47	41.9%
TRUST GOLD	50	44.0%
ARGENTO HMN205	50.1	42.6%
LUSERNA HLA201	51	44.8%
MARK CHROME	51	45.0%
GRAY LIMESTONE HLA205	51	46.0%

COLOR	SRI VALUE	SOLAR REFLECTANCE
SOUL BEGE HSU201	57	48.7%
BOOST PRO CREAM	58	50.0%
EXENCE ALMOND	59	50.0%
CEMBRO HNB205	61	54.0%
AXI WHITE	63	53.0%
BLOCK BIANCO	65	55.0%
BRAVE GYPSUM	65	55.0%
BOOST STONE WHITE	65	55.0%
CENERE HTE205	66	57.0%
PINO BLANCO HNB210	69	59.0%
BIANCO HLA210	73	61.4%
BOOST WHITE	74	61.0%

TESTING

MANUFACTURING SPECIFICATION	CHEMICAL RESISTANCE ASTM C650 / 1378	FROST RESISTANCE ISO 10545.12	WATER ABSORPTION ASTM 373	SLIP RESISTANCE WET (DCOF) ANSI A326.3
ANSI A137.1	Grade A / Grade A	Resistant	Impervious	≥ 0.55

Special Order

The products highlighted in this inspiration brochure cover just a small portion of Atlas Concorde and Del Conca porcelain product lines. On a special order basis, ORCO has many other size, color, texture, and finish options available on request.

Porcelain Standards

ORCO porcelain paving products are manufactured by Atlas Concorde and Del Conca to satisfy requirements of ANSI A137.1 *American National Standard Specifications for Ceramic Tile.* Installation methods are based on recommendations from Tile Council of North America (TCNA) and ANSI A108.1 *Installation of Ceramic Tile – Wet Set or Dry Set Methods.*

Photography Credits


Front Cover, Back Cover, p.2-10, p.13-16, p.22 © Atlas Concorde USA, Inc.
p.10-12, p.17, p.22 (top-left) © Del Conca USA, Inc.

For best results, ORCO strongly recommends following procedures specified in ORCO'S PORCELAIN INSTALLATION GUIDE.


ORCO PORCELAIN PAVING


FRASSINO HDV205


BOOST PRO CLAY (SPECIAL ORDER)


TRUST SILVER


SEASTONE GRAY


AXI BROWN

80 YEARS
ORCO
BLOCK & HARDSCAPE

ORCO HARDSCAPES
4545 RUTILE STREET
RIVERSIDE • CALIFORNIA
92509

OFFICE: 951.685.8498 • EMAIL: INFO@ORCO.COM

ORANGE / LOS ANGELES
11100 BEACH BOULEVARD
STANTON • CA 90680
OFFICE: 714.527.2239

INLAND EMPIRE
4510 RUTILE STREET
RIVERSIDE • CA 92509
OFFICE: 951.685.1521

COACHELLA / IMPERIAL
35-240 DILLON ROAD
INDIO • CA 92201
OFFICE: 760.347.4000

SAN DIEGO
3501 OCEANSIDE BLVD
OCEANSIDE • CA 92056
OFFICE: 760.757.1780

ORCO.COM

CONCRETE MASONRY UNITS - OBP BLENDED PRODUCTS
PAVINGSTONES - MORTARLESS WALLS - NATURAL STONE

10/24

⚠ **WARNING:** This product when cut or ground can expose you to Silica, crystalline (airborne particles of respirable size) which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

